

PROJECT:				
MODEL # :				
ITEM #:	QTY:			
AVAILABLE W/H :	APPROVAL:			

Bottle Coolers



BBC-36B-HC







BBC-50B-HC / BBC-65B-HC



STANDARD FEATURES

Cabinet construction

- Stainless steel top with black vinyl coated steel walled exterior. Interior is galvanized steel with stainless steel floor.
- High density foamed in place polyurethane insulation Environmentally safe.
- Polyethylene dividers included
- Interior height allows stacking of three "tall boy" beers
- Stainless steel slide top lid with locks
- Standard Bottle cap opener and cap catcher

Refrigeration

• Hydrocarbon refrigerants (R-290) - increases en-

- ergy efficiency by up to 25% compared to using HFC refrigerants. It is safer for the environment and does not cause ozone depletion.
- Front breathing, side mounted compressor unit.
 Compressor configuration allows unit to be efficient in narrow spaces and be serviced without being moved.
- Epoxy coated evaporator reduces potential corrosion
- Innovative hot gas frame heating system reduces condensation and increases energy efficiency.
- Refrigerators have a temperature range between $33^{\circ}F \sim 39^{\circ}F$
- Automatic defrosting

Standard

• NSF/ANSI Standard 7 compliant

Connection

• 9 ft long flexible three wire cord with molded plug

Optional Features & Accessories

• 4" caster available.



WARRANTY

APPROVALS:

AVAILABLE AT:

3 Years Parts and Labor 5 Years on Compressor in USA


Bottle Coolers


PRODUCT PLAN VIEW


- Top View -





- Front View -














- Top View -







- Side View -









PRODUCT SPECIFICATION

Bottle Coolers

	Product Description				Refrigerant	Temperature Range		Easy Maintenance			Cord Length (ft/m)		
	Bottle Coolers				R-290	33°F ~ 39°F		Sliding Condensing Unit			9.8ft (3m)		
Model	,	Capacity	12 oz	12 oz	Cabinet	Dimensions (inches	/ mm)		Voltage	Amps	NEMA	Weight (lbs / kg)	
	Doors	(Cu.Ft.)	Cans	Bottles	L	D	Н	HP			config.	Net Weight	Ship Weight
BBC-36B-HC	1	9.9	519	229	36 3/4" (934mm)	28 1/2" (723mm)	33 3/8" (849mm)	1/4	115V / 60Hz	3.0	NEMA 5-15	128 (58)	141 (64)
BBC-50B-HC	2	14.8	857	377	50" (1270mm)	28 1/2" (723mm)	33 3/8" (849mm)	3/8	115V / 60Hz	3.5	NEMA 5-15	196 (89)	214 (97)
BBC-65B-HC	2	20.1	1191	539	64 1/2" (1638mm)	28 1/2" (723mm)	33 3/8" (849mm)	3/8	115V / 60Hz	3.5	NEMA 5-15	229 (104)	251 (114)
BBC-80B-HC	3	26	1575	715	80 1/2" (2045mm)	28 1/2" (723mm)	33 3/8" (849mm)	3/8	115V / 60Hz	3.5	NEMA 5-15	273 (124)	298 (135)
BBC-95B-HC	3	31.3	1893	877	95" (2412mm)	28 1/2" (723mm)	33 3/8" (849mm)	3/8	115V / 60Hz	3.5	NEMA 5-15	302 (137)	335 (152)

*BLUE AIR has the right to change specifications without further notice.

